CARROLL MIDDLE SCHOOL



Summer Math Activities

For Students Entering Grade 7

You've learned SO much this year! It is important that you keep practicing your mathematical knowledge over the summer to be ready for 7th grade. In this document, you will find a calendar of activities for the months of July and August. Once you have completed an activity, have a family member initial in the box on the calendar. Use your math journal (a spiral notebook) to record and show all of your work.

DIRECTIONS:

- Create a personal and fun Math Journal in a spiral notebook. Be creative and decorate the first page with markers or crayons or other material to show math in your world.
- Each journal entry should:
 - Have the week number and the word problem or activity number
 - Have a clear and complete answer that explains your thinking
 - Be neat and organized
- Choose 6 of the 4 required activities and include them in your journal
- The additional worksheet pages included in this document should be printed and taped/stapled into your Math Journal

Try to play a board game or card game at least one day each week. Write about the game in your journal. Be sure to title the page with the name of the game. Here are some suggestions of games for you to play: Monopoly, Stratego, Othello, Connect Four, Chess, War, Battleship, Risk, Mancala, Yahtzee and Mastermind.

Don't forget to bring your journal, July and August calendars, and required activities to school on the first day of seventh grade. Your new teacher will be so proud of your summer math work!

Kids' Information Page

We're so proud of you for taking the time to work on math over the summer!

Here are some helpful hints for success:

- **☺** It's ok to have parents and other adults help you!
- © Find a quiet work space where you can get organized and stay focused.
- Pay close attention to the examples and vocabulary.
- © Choose a unit that you like, and work through it completely before moving on to another unit.
 - Try to complete at least 1 worksheet per day.
 - Complete all of the problems on each worksheet.
- © Calculators may ONLY be used when you see this symbol:



- © Remember to do a little work each week. DO NOT wait until the week before school starts to complete your packet!
- The packet should be returned to your math teacher during the first week of school.
- You can access your textbook online at http://www.glencoe.com/sec/math/msmath/mac04/course2/index.php/md/2004
 See the Textbook Navigation Page for more information.

Have fun & we'll see you in August!

-			
9. What is 4.97 × 10 ⁶ in standard form? 10. What fraction of the figure is shaded?	8. Chicken was on sale for \$7.95 per pound. Laurie bought a small package that weighed 0.8 pound. How much did Laurie pay for the chicken? 9. Find the quotient; 153 ÷ 8.	6. Tanya practices piano every day for 1 \frac{1}{2} hours. What is a reasonable estimate for the total number of hours Tanya practices each week?	6. Find the product: 3.5 x 9.5 7. Find the sum: 16.7 + 21.37 8. Find the difference: 7.09 – 1.3
8. In Monica's school, semester grade averages are computed to two decimal places. Last semester, Monica's grade average was 83.34. This semester, his grade average was 0.01 point higher. What was her grade average this semester?	7. There are 640 students at Smith Middle School and 65% of them study a world language. How many of the students study a world language?	5. The length of a rectangular room is 12.8 meters and the width is 10.9 meters. Will 145 square meters of carpeting be enough to completely cover the floor? Explain or show how you determined your answer.	5. Kevin lives 0.5 mile from school. Dana lives 0.7 mile from school. How many miles farther from school does Dana live than Kevin. Express your answer in terms of a decimal and a fraction in simplest form.
7. What is 35.04 written in expanded form? Word form? Then round the number to the nearest tenth.	5. 60% of 120 is what number? 6. Larry's soccer team lost 30% of its 30 games last season. How many games did they lose?	4. A bean plant is growing at a rate of $2\frac{1}{8}$ inches per month. What expression could be used to best estimate how many inches the plant will grow in 6 months? Using your expression, how much will the plant grow in 6 months?	4. Mrs. Lee bought \$32.67 worth of groceries. If she gave the cashier \$40, how much change did she get back?
 4. In 1999 there were 179.63 million tons of garbage generated. What is this number rounded to the NEAREST tenth? 5. Write the number 60,000 + 8,000 + 900 + 7 + 0.6 in standard notation. 6. 8,592.37 rounded to the nearest hundred is what number? 	3. What improper fraction is equal to $2 - \frac{3}{4}$? 4. What is another way of writing $\frac{5}{3}$?	2. Which expression would provide the closest estimate of 129.8 – 38.56? a. 120 – 40 b. 130 – 30 c. 130 – 39 d. 150 – 38 3. Write an expression that could be used to estimate the sum of 403.6 + 89.1.	2. A puppy weighs 6.5 pounds. The puppy's mother weighs 10 times as much as that. What does the puppy's mother weigh? 3. Find the quotient: \$7.80 ÷4.
Janie's temperature was 101.2 when she went to the doctor. This number is a little less than 102 b. a little more than 101 c. a little more than 101 a little more than 101	1. Kim finished only $\frac{17}{20}$ of the questions on her written test for a driver's license. What percent names the same amount? 2. What decimal names the same amount as 30%?	1. Mr. Finn buys 29 portfolios for his office. Each portfolio costs \$18.99, including tax. Is Mr. Finn's estimate of \$400 a reasonable estimate of the total cost of the 29 portfolios? Show and explain your thoughts	1. Chris wrote this number sentence: 6.2 – 1.05 = 5.25 ls he correct? Show your thoughts or explain how you determined whether or not his answer was correct.
PLACE VALUE	WEEK 2 FRACTIONS, DECIMALS & PERCENTS	WEEK 3 ESTIMATION	WEEK 4 WHOLE NUMBERS & DECIMALS **



MATH JOURNAL:

_							
							81
			9				
1	LUE		NS, S & TS	3 ONS		e+	BERS &
WEEK 1	PLACE VALUE		WEEK 2 FRACTIONS, DECIMALS & PERCENTS	WEEK 3 ESTIMATIONS		WEEK 4	WHOLE NUMBERS & DECIMALS
	PL	The state of the s		ES	深體的		WHO

MONTH OF AUGUST *Parent/guardian please initial each box after completion, work is to be completed in attached math journal August

	7. What is the circumference of a circle with a diameter of 9 inches? 8. What is the name of the polygon with 10 sides and 10 angles?	6. 8 is what percent of 64? 7. There are 640 students at Smith Middle School and 65% of them study a world language. How many of the students DO NOI study a world language?	5. What is the probability of rolling a 5 on a number cube AND getting tails on a quarter?
7. There are 5 blue marbles, and 9 orange marbles in a box. What is the ratio of orange to blue marbles in the box? 8. A bag holds 32 tiles. The tiles are either red or blue. If there are 20 red tiles in the bag, what is the ratio of blue tiles to red tiles? Write your answer in simplest form.	6. What is the <u>area</u> of the triangle below? 15 cm	5. Maria bought the new Apple I Phone for \$298. CT state sales tax is 6%. a. How much did she pay in sales tax? b. What was Maria's total bill?	4. There are 50 unlabeled DVD movies in a bin. There are 7 comedies, 10 musicals, 13 dramas, and 20 action films. What is the probability of reaching into the bin and randomly selecting a comedy OR an action movie?
5. A smoothie recipe calls for 4 bananas for every 3 cups of yogurt added. If 16 bananas are used, how many cups of yogurt should be added? 6. Justin can read 12 pages in 20 minutes, How many pages can he read in 50 minutes?	5. What is the <u>volume</u> of the prism below? 4 in 8 in	4. Tina invited 60 people to her graduation party. Forty-two of the people she invited said they would attend. What percent of the people invited said they would attend?	3. What is the probability of the arrow landing on a number greater than or equal to 6?
3. There are 40 members in the school computer club. Eighteen of the members are boys. What is the ratio of girls to boys in the computer club? 4. A radio station played 9 songs in 40 minutes. At this rate, how many songs will the ratio station play in 120 minutes?	 3. What is the name of the special quadrilateral that has 4 congruent sides? 4. What is the <u>area</u> of a rectangle that has a length of 12 inches and a height of 5 inches? 	2, 12 is what percent of 48? 3. What is 75% of 256?	What is the probability of the arrow landing on a 12? What is the probability of the arrow landing on an even number?
1. The cost of a tent rental is \$160 for 5 days. Write and solve a proportion to find the cost of renting the same tent for 8 days. 2. What value of x will make this proportion true? $\frac{3}{7} = \frac{9}{x}$	1. What is a good estimate for the measure of this angle? 2. How would you classify a triangle that has 1 right angle and 2 congruent sides?	1. Robby wants to buy a suitcase that is on sale. The suitcase regularly sells for \$178, but it is on sale for 15% off. a. What is the discount? b. How much will Robby pay for the suitcase?	Use the information below to answer questions 1-3 **A spinner is divided evenly into 8 sections. The following numbers appear in each of the sections: 14, 16, 2, 4, 12, 10, 8, 6.
WEEK 1 RATIOS & PROPORTIONS	WEEK 2 GEOMETRY	WEEK 3 MORE PERCENTS!	WEEK 4 PROBABILITY

August

MONTH OF AUGUST *Parent/guardian please initial each box after completion, work is to be completed in attached math journal

	25		
WEEK 1 RATIOS & PROPORTIONS	WEEK 2 GEOMETRY	WEEK 3 MORE PERCENTS!	WEEK 4 PROBABILITY

Activity 1:

Measure the perimeter of your kitchen. Draw a rough sketch of your kitchen below. Label the length and width of each side of the room. Then calculate the perimeter and area of the kitchen.				
Rough Sketch:				
Perimeter:				
Area:				
AIGA.				

Activity 2:

Measure the height of each of your family members using metric measures (**centimeters** and **meters**). Write the names of each family member below and their height. Then order your family members from tallest to shortest.

Family Member	Height		

Order (from tallest to shortest):

Activity 3

Decide on a recipe you would like to cook or bake. Rewrite the recipe **tripling** it. How much of each ingredient do you need now?

Ingredients	Amount Meeded

Activity 4

Look through a grocery store flyer. Find the cost of 3 different items that are sold by weight (fruits, vegetables, deli meats). Decide with a family member how much of each item you need for your family. How much will each item cost? What will be the total cost for all 3 items?

Item	Amount Needed	Cost	Total Cost Per Item
Total			

Activity 5


Use a package of M&Ms to determine the probability of picking out each color from the bag. Count and list the different colors. Then list the probability of picking out each color if they were all put back in the bag together. Write the probability as a fraction, and then use

a calculator to write it as a percent.

Color	Number	Probability as a Fraction
TOTAL		

Activity 6

Keep track of the time you spend on different activities for one day (24 hours). Make a circle graph showing how you spent your day.



Level 7 (Course 2)

Chapter/ Section in Text	FCPS Indicator Number	Content Standard/Indicators	
	MA.700.10	KNOWLEDGE of ALGEBRA, PATTERNS and FUNCTIONS	
4-6	MA.700.10.10	Complete a function table with a given two operation rule.	
4-1	MA.700.10.25	Write an algebraic expression to represent unknown quantities with one unknown and 1 or 2 operations.	
1-4; 1-5; 1-6	MA.700.10.30	Evaluate an algebraic expression using one unknown and no more than 2 operations.	
1-3	MA.700.10.35	Evaluate numeric expressions using order of operations with no more than 4 operations.	
4-1;4-2;4-3;4-4;4-5	MA.700.10.45	Write equations and inequalities.	
4-2; 4-3; 4-4	MA.700.10.50	Determine the unknown in a linear equation with 1 or 2 operations.	
4-5	MA.700.10.55	Solve for the unknown in an inequality with one variable.	
4-5	MA.700.10.60	Identify or graph solutions of inequalities on a number line.	
1-4; 1-6; 4-2	MA.700.10.65	Apply given formulas to a problem-solving situation using formulas having no more than three variables.	
3-2	MA.700.10.70	Graph rational numbers on a number line.	
3-3	MA.700.10.75	Graph ordered pairs in a coordinate plane.	
	MA.700.10.85	Identify and describe the change represented in a table of values; identify increase, decrease or no change.	
	MA.700.20	KNOWLEDGE of GEOMETRY	
10-3	MA.700.20.05	Identify and describe angles formed by intersecting lines, rays, or line segments.	
10-3	MA.700.20.15	Determine the measure of angles formed by intersecting lines, line segments, and rays.	
10-5	MA.700.20.20	Determine a missing angle using the sum of the interior angles in a quadrilateral.	
	MA.700.20.40	Construct a circle using a given line segment as the radius.	
	MA.700.20.45	Construct a line segment congruent to a given line segment.	
	MA.700.20.50	Construct a perpendicular bisector to a given line segment or a bisector of a given angle.	
	MA.700.20.55	Determine the congruent parts of polygons.	
10-8; 10-9; 10-9b	MA.700.20.70	Identify and plot the result of one translation, reflection, or rotation.	
10 0, 10 0, 10 00	MA.700.30	KNOWLEDGE of MEASUREMENT	
11-4; 11-5	MA.700.30.10	Estimate and determine the area of quadrilaterals using parallelograms or trapezoids.	
12-4	MA.700.30.15	Determine the surface area of geometric solids using rectangular prisms.	
12 7	MA.700.30.15	Determine the missing dimensions for a polygon.	
7-4	MA.700.30.23	Determine the missing dimensions for a polygon. Determine the distance between 2 points using a drawing and a scale.	
7-4	MA.700.40	KNOWLEDGE of STATISTICS	
2-5	MA.700.40.05	Organize and display data use back-to-back stem & leaf plots.	
2-8	MA.700.40.05	Analyze data and recognize the misuses of data.	
2-8	MA.700.40.13	Determine the best choice of a data display for a given data set.	
2-4	MA.700.40.25	Compare the measures of central tendency (mean, median, mode) to determine which is most appropriate.	
Z-4	MA.700.40.25	KNOWLEDGE of PROBABILITY	
9-1; 9-2	MA.700.50		
9-1, 9-2	MA.700.50.05	Identify a sample space and determine the number of outcomes using no more than 3 independent events.	
9-1	IVIA.700.30.10	Determine the probability of an event comprised of 2 independent events.	
9-6; 9-6a; 9-6b	MA.700.50.20	Make predictions and express the probability of the results of a survey or simulation as a fraction, decimal or percent.	
	MA.700.60	KNOWLEDGE of NUMBER RELATIONSHIPS COMPUTATION	
1-2	MA.700.60.05	Read, write, and represent whole numbers using exponential notation.	
Pg 555	MA.700.60.10	Express decimals using expanded form.	
5-3; 7-1; 7-5	MA.700.60.15	Determine equivalent forms of rational numbers expressed as fractions, decimals, percents, and ratios.	
5-8	MA.700.60.20	Compare, order, and describe rational numbers.	
3-4; 3-5; 3-6; 3-7	MA.700.60.30	Add, subtract, multiply and divide integers.	
6-2; 6-3; 6-4	MA.700.60.35	Add, subtract, and multiply positive fractions and mixed numbers.	
1-2; 11-1	MA.700.60.45	Calculate powers of integers and square roots of perfect square whole numbers.	
	MA.700.60.50	Use the laws of exponents to simplify expressions by using the rules of exponents.	
1-6	MA.700.60.55	Identify and use the properties of addition and multiplication to simplify expressions using the commutative property.	
6-1	MA.700.60.65	Estimate to determine approximate sums, differences, products, and quotients.	
7-1; 7-3	MA.700.60.75	Determine equivalent ratios.	
7-1; 7-2	MA.700.60.80	Determine or use ratios, unit rates, and percents in the context of the problem.	
7-2; 8-2; 8-4; 8-5; 8-6	MA.700.60.85	Determine rate of increase and decrease, discounts, simple interest, commission, sales tax.	

Textbook Navigation Page

To get to the online version of the book:

1.) Go to http://www.glencoe.com/sec/math/msmath/mac04/course2/index.php/md/2004

2.) Click Online Student Edition


3.) Enter the following information:


Username: MAC204


Password: traD5U8uP3

4.) Click on Table of Contents – this will bring up each section of the book. Click on the Section, followed by the chapter you want. Continue to use the Bookmark side bar to navigate through the book and its pages.

**Note: You can not print the book. It is copyrighted by the publisher. This is for viewing purposes only.







Objective: Complete a function table with a given two operation rule.

Examples:

The solution of an equation with two variables consists of two numbers, one for each variable, that make the equation true. The solution is usually written as an ordered pair.

The cost to rent a bicycle at the beach includes a rental fee of 5 dollars plus 3 dollars for each hour. The equation for the cost of renting a bicycle is:

$$C = 3H + 5$$

C is the total cost and **H** is the number of hours.

Bicycle Rentals				
Hours	3H + 5	Cost (dollars)		
1	3(1) + 5	8		
2	3(2) + 5	11		
3	3(3) + 5	14		
4	3(4) + 5	17		

Complete the following tables:

1.)

C = 3H + 4				
Н	3H + 4	С		
2	3(2) + 4			
4				
6				
10				

2.)

	Y = 5X + 2	
X	5X + 2	Υ
3		
6		
9		
12		

Textbook Section: 4-6

3.)

Y = 5X - 3				
X	5X – 3	Y		
1	5(1) - 3	2		
2				
3				
4				

4.)

	A = 4B - 3	
В	4B – 3	Α
3		
4		
5		
6		

Textbook Section: 4-1

Objective: Write an algebraic expression to represent unknown quantities with one unknown and 1 or 2 operations.

Examples:

The tables below show phrases written as mathematical expressions.

Phrases	Expression
9 more than a number	
the sum of 9 and a number	
a number plus 9	X + 9
a number increased by 9	
the total of x and 9	
Phrases	Expression
6 multiplied by g	
6 times a number	6 <i>g</i>
the product of g and 6	_

Phrases	Expression
4 subtracted from a number a number minus 4 4 less than a number a number decreased by 4 the difference of <i>h</i> and 4	h - 4
Phrases	Expression
a number divided by 5 the quotient of <i>t</i> and 5 divide a number by 5	$\frac{t}{5}$

Write each phrase as an algebraic expression.

1.) 7 less than *m*

2.) The quotient of 3 and y

3.) 7 years younger than Jessica

4.) 3 times as many marbles as Bob has

- **5.)** Let t = the number of tomatoes Tye planted last year. This year she planted 3 times as many. Write an algebraic expression to show how many tomatoes Tye planted this year.
- **6.)** Last week Jason sold x number of hot dogs at the football game. This week he sold twice as many as last week, and then he sold 10 more. Write an expression to show how many hot dogs Jason sold this week.





Textbook Sections: 1-4, 1-5, 1-6

Objective: Evaluate an algebraic expression using one unknown and no more than 2 operations.

Example 1: Evaluate 6x - 7 if x = 8.

Example 2: Evaluate 5m - 15 if m = 6.

$$6x-7 = 6(8)-7$$
 Replace x with 8.
= $48-7$ Use order of operations.
= 41 Subtract 7 from 48.

$$5m - 15 = 5(6) - 15$$
 Repla
= $30 - 15$ Use 0
= 15 Subtr

Replace m with 6... Use order of operations.

Subtract 15 from 30.

Example 3: Evaluate $\frac{7b}{2}$ if b = 6.

Example 4: Evaluate $x^3 + 4$ if x = 3.

$$\frac{7b}{3} = \frac{(7)(6)}{3}$$

Replace b with 6.

 $x^3 + 4 = 3^3 + 4$ Replace x with 3.

$$=\frac{42}{3}$$

Multiply 6 by 7.

= 27 + 4 Use order of operations.

Divide.

= 31 Add 27 and 4.

Evaluate the following expressions using the given values for a, b, and c. Show each step!

1.) Evaluate 6 + 3b if b = 7

2.) Evaluate $6a^2$ if a = 4

3.) Evaluate 5(6) - c if c = 7

4.) Evaluate b^4 if b = 2

5.) Evaluate $\frac{7.5m}{5}$ if m = 2

6.) Evaluate $(n)^2$ if n = 9

Textbook Section: 1-3

Objective: Evaluate numeric expressions using order of operations with no more than 4 operations.

Use the order of operations to evaluate numerical expressions.

- 1. Do all operations within grouping symbols first.
- **2.** Evaluate all powers before other operations.
- **3.** Multiply and divide in order from left to right.
- 4. Add and subtract in order from left to right.

Example 1: Evaluate $14 + 3(7 - 2) - 2 \cdot 5$

Example 2:
$$8 + (1 + 5)^2 \div 4$$

 $14 + 3(7 - 2) - 2 \cdot 5$ $= 14 + 15 - 2 \cdot 5$ = 14 + 15 - 10

= 29 - 10

= 19

= $14 + 3(5) - 2 \cdot 5$ Subtract first since 7 – 2 is in parentheses Multiply left to right, $3 \cdot 5 = 15$ Multiply left to right, $2 \cdot 5 = 10$ Add left to right, 14 + 15 = 29Subtract 10 from 29

$$8 + (1 + 5)^2 \div 4$$


= $8 + (6)^2 \div 4$ Add first since 1 + 5 is in parentheses
= $8 + 36 \div 4$ Find the value of 6^2
= $8 + 9$ Divide 36 by 4
= 17 Add 8 and 9

Evaluate each of the following. Show each step!

1.)
$$(2 + 10)^2 \div 4$$

2.)
$$(6+5) \cdot (8-6)$$

5.) The perimeter of a hexagon is found by adding the lengths of all six sides of the hexagon. For the hexagon below write a numerical expression to find the perimeter. Then evaluate the expression.



6.) Without parentheses, the expression $8 + 30 \div 2 + 4$ equals 27. Place parentheses in the expression so that it equals 13; then 23.

Objective: Write equations and inequalities - A

Examples:

The table below shows sentences written as an equation.

Sentences	Equation
Sixty less than three times the amount is \$59. Three times the amount less 60 is equal to 59. 59 is equal to 60 subtracted from three times a number.	3n - 60 = 59
A number times three minus 60 equals 59.	

Write an equation for each of the following:

1.) 4 less than 3 times a number is 14.

2.) There are 5 people in Johnny's rock band. They made x dollars playing at a dance hall. After dividing the money 5 ways, each person got \$67.

Textbook Sections: 4-1, 4-2, 4-3, 4-4, 4-5



- **3.)** The Washington Monument is 555 feet tall. It is 75 feet shorter than the Gateway to the West Arch.
- **4.)** The lifespan of a zebra is 15 years. The lifespan of a black bear is 3 years longer than the lifespan of a zebra. Write an addition equation that you could use to find the lifespan of a bear.

- **5.)** A gardening expert recommends that flower bulbs be planted to a depth of three times their height. Suppose Jenna determines that a certain bulb should be planted at a depth of 4.5 inches. Write an equation to find the height of the bulb.
- **6.)** The electric company charges \$0.06 per kilowatt hour of electricity used. Write a multiplication equation to find the number of kilowatt hours of electricity for which the Estevez family was charged if their electric bill was \$45.84.





Objective: Write equations and inequalities - B

Textbook Section: 4-6

An **inequality** is a mathematical sentence that contains the symbols $\langle , \rangle, \leq, \text{ or } \geq$.

Words	Symbols
m is greater than 7.	m > 7
r is less than −4.	r < -4
t is greater than or equal to 6.	t ≥ 6
y is less than or equal to 1.	y ≤ 1

Examples:

- 1) Two times a number is greater than 10 2x > 10
- 2) Three less than a number is less than or equal to 7. x-3=7
- 3) The sum of a number and 1 is at least 5. $x + 1 \ge 5$
- 4) Cody has \$50 to spend. How many shirts can he buy at \$16.50 each? $16.50x \le 50$

Write an inequality for each of the following:

Write an inequality for each of the following:	
1.) Five times a number is greater than 25.	2.) The sum of a number and 6 is at least 15.
3.) 24 divided by some number is less than 7.	4.) Five dollars less than two times Chris' pay is at most \$124.
5.) In Ohio, you can get your license when you turn 16. Write an inequality to show the age of all drivers in Ohio.	6.) Suppose a DVD costs \$19 and a CD costs \$14. Write an inequality to find how many CDs you can buy along with one DVD if you have \$65 to spend.

Textbook Sections: 4-2, 4-3, 4-4 Unit: Knowledge of Algebra, Patterns, and Functions **Objective:** Determine the unknown in a linear equation with 1 or 2 operations Remember, equations must always remain balanced. If you add or subtract the same number from each side of an equation, the two sides remain equal. If you multiply or divide the same number from each side of an equation, the two sides remain equal. Example 1: Solve x + 5 = 11x + 5 = 11Write the equation x + 5 = 11Write the equation Subtract 5 from both sides Replace x with 6 6 + 5 = 11-5 =-5 11 = 11 ✓ The sentence is true x = 6Simplify Example 2: Solve -21 = -3y- 21 = - 3y Write the equation - 21 = - 3y Write the equation -3 = -3Divide each side by – 3 -21 = -3(7) Replace the y with 7 Check 7 = v**-21 = - 21?** Multiply – is the sentence true? Simplify Example 3: Solve 3x + 2 = 233x + 2 = 23 Write the equation 3x + 2 = 23 Write the equation -2 = -2 Subtract 2 from each side 3(7) + 2 = 23? Replace x with 7 3x = 21 Simplify 21 + 2 = 23? Multiply Check 3 Divide each side by 3 23 = 23? Add – is the sentence true? x = 7Simplify 1.) Solve x - 9 = -122.) Solve 48 = -6r3.) Solve 2t + 7 = -14.) Solve 4t + 3.5 = 12.5**5.)** It costs \$12 to attend a golf clinic with a local pro. **6.)** An online retailer charges \$6.99 plus \$0.55 per pound Buckets of balls for practice during the clinic cost \$3 each. to ship electronics purchases. How many pounds is a DVD How many buckets can you buy at the clinic if you have player for which the shipping charge is \$11.94? \$30 to spend?

Objective: Solve for the unknown in an inequality with one variable.

Textbook Section: 4-5

An **inequality** is a mathematical sentence that contains the symbols $\langle , \rangle, \leq, \text{ or } \geq$.

Words	Symbols
m is greater than 7.	m > 7
r is less than -4 .	r < -4
t is greater than or equal to 6.	t ≥ 6
y is less than or equal to 1.	<i>y</i> ≤ 1

Example 2: Solve **2x + 8 < 24**

2x + 8 < 24 Write the inequality

-8 -8 Subtract 8 from each side

2x < 16 Simplify

2 Divide each side by 2

 $\mathbf{x} < \mathbf{8}$ Simplify

Example 1: Solve **v + 3 < 5**

v + 3 < 5 Write the inequality

-3 -3 Subtract 3 from each side

v < 2 Simplify

Check: Try 1, a number less than 2

v + 3 < 5 Write the inequality

1 + 3 < 5 Replace v with 1

4 < 5? Is this sentence true? yes

Check: Try 7, a number less than 8

2x + 8 < 24 Write the inequality

2(7) + 8 < 24 Replace x with 7

14 + 8 < 24 Multiply 7 by 2

22 < 24? Is the sentence true? yes

1.) Solve	$t + 5 \leq 14$
-----------	-----------------

2.) Solve $6u \ge 36$

4.) Solve 4x - 6 > -10

- **5.)** The speed limit on highways in Florida is 70 miles per hour. Write and solve an inequality to find how long it will take you to travel the 105 miles from Orlando to St. Augustine if you travel at or below the speed limit.
- **6.)** You have \$80. Jeans cost \$29 and shirts cost \$12. Mom told you to buy one pair of jeans and use the rest of the money to buy shirts. Use this information to write and solve an inequality. How many shirts you can buy?




Textbook Section: 4-5

Objective: Identify or graph solutions of inequalities on a number line.

Examples: Graph each inequality on a number line.

x < 2




The open circle means that the number is **not** included in the solution.

 $y \ge 8$

The closed circle means that the number is included in the solution.


m < -3




The solution is all numbers less than negative three.

-3 is **not** included in the solution.

1.) Write an inequality for the graph.




2.) Write an inequality for the graph.




3.) Graph the inequality.

$$b \ge -1$$




4.) Graph the inequality.




5.) Solve the inequality, then graph it on the number line.

$$y + 9 \le 13$$



$$4x - 6 > -10$$





Textbook Sections: 1-4, 1-6, 4-2

Objective: Apply given formulas to a problem-solving situation using formulas having no more than three variables.

Example 1:

The perimeter of a rectangle is twice the length (L) plus twice the width (W). P = 2L + 2W Use the given formula to find the perimeter of the rectangle.



10 cm

8 cm

P = 2L + 2W Write the equation

P = 2(10) + 2(8) Replace L and W with the length and width

P = 20 + 16 Multiply

P = 36 cm Simplify and add the correct label

Example 2:

The area A of a circle equals the product of pi (π) and the square of its radius (r). A = π r² $(\pi \approx 3.14)$ Use the given formula to find the area of the circle.



 $A = \pi r^2$ $A = 3.14 \cdot (2)^2$ $A = 3.14 \cdot 4$

 $A = 12.56 \text{ ft}^2$

Write the equation

Replace π with 3.14 and \mathbf{r} with 2

Square the 2


Simplify and add the correct label

The formula for finding the area of a rectangle is
 A = L • W. Use this formula to find the area of the rectangle.




4 cm

- 2.) The formula for finding the area of a triangle is
 - **A** = $\frac{1}{2}$ **bh**. Find the area of the triangle below.




3.) A trapezoid has two bases (b_1 and b_2) The formula for finding the area of a trapezoid is: $A = \frac{1}{2}h(b_1 + b_2)$



Find the area of the trapezoid.

4.) The formula for finding the volume of a rectangular prism is **V** = **L** • **W** • **H**. Find the volume of the box.



- **5.)** Margot planted a rectangular garden that was 18 feet long and 10 feet wide. How many feet of fencing will she need to go all the way around the garden? **P = 2L + 2W**
- **6.)** Juan ran all the way around a circular track one time. The diameter (d) of the track is 60 meters. The formula for circumference of a circle is $\mathbf{C} = \pi \mathbf{d}$. Use this formula to find out how far Juan ran.

Objective: Graph rational numbers on a number line.

Textbook Section: 3-2

Rational Numbers are numbers that can be written as fractions.


Some examples of rational numbers are $\frac{1}{2}$, 5 $\frac{3}{4}$, 0.8, and -1.4444...

Example: Graph and label the following numbers on the number line:


A:
$$\frac{1}{2}$$

B:
$$4\frac{1}{4}$$

A:
$$\frac{1}{2}$$
 B: $4\frac{1}{4}$ **C**: -4.5 **D**: 2.5




1.) Graph and label the following numbers on the number line.



2.) Graph and label the following numbers on the number line.

A: 0 **B**:
$$-1\frac{1}{2}$$
 C: $\frac{5}{2}$ **D**: 4



3.) Graph and label the following numbers on the number line.

4.) Graph and label the following numbers on the number line.

A:
$$-\frac{9}{3}$$
 B: $-\frac{3}{2}$ C: $\frac{9}{4}$ D: $\frac{12}{3}$

5.) Jonah recorded the temperature for 5 days on a chart. Draw a number line and graph the temperatures. Where do the numbers on the line need to begin and end? Label the points 1 to 5.

Day 1	Day 2	Day 3	Day 4	Day 5
45°	50°	53°	57°	60°

6.) Graphing numbers on a number line can help you put them in order from smallest to greatest. Draw a number line and graph the numbers in the chart below. Label the points. Which number is the smallest?

٧	W	Х	Y	Z
20	-10	–15	5	10

Objective: Graph ordered pairs in a coordinate plane.

Textbook Section: 3-3

The **coordinate plane** is used to locate points. The horizontal number line is the **x-axis**. The vertical number line is the **y-axis**. Their intersection is the **origin**.

Points are located using **ordered pairs**. The first number in an ordered pair is the **x-coordinate**; the second number is the **y-coordinate**.

The coordinate plane is separated into four sections called **quadrants**.

Example 1: Name the ordered pair for point P. Then identify the quadrant in which P lies.


- Start at the origin.
- Move 4 units left along the *x*-axis.
- Move 3 units up on the y-axis.

The ordered pair for point P is (-4, 3).

P is in the upper left quadrant or quadrant II.

Example 2: Graph and label the point M (0, -4).


- Start at the origin.
- Move 0 units along the x-axis.
- Move 4 units down on the y-axis.
- Draw a dot and label it M(0, 4).




Quadrant 3


Quadrant 4


1.) Name the ordered pair for each point graphed at the right. Then identify the quadrant in which each point lies.





2.) Find each of the points below on the coordinate plane. Then identify the quadrant in which each point lies.






3.) Graph and label each point on the coordinate plane.












4.) Graph and label each point on the coordinate plane.









Textbook Section: NONE

Objective: Identify and describe the change represented in a table of values; identify increase, decrease, or no change.

Example: Look at the table below. How are Wages (y) affected by the number of Hours Worked (x)? Identify the change as **increasing**, decreasing, or **no change**. Describe the changes in y-values.



Hours Worked (x)	Wages (y)
2	\$14
4	\$28
6	\$42
8	\$56



As the Hours Worked (x) increase, the wages (y) increase. Wages increase by \$14 dollars for every 2 hours worked (or \$7 for every hour worked).

Identify the change in each table of values as increasing, decreasing, or no change. Describe the changes in y-values.

1.)

Homework Minutes (x)	Test Grades (y)
25	61
35	74
45	87
55	100

2.)

•	
Time Hours (x)	Distance Miles (y)
1	50
2	100
3	150
4	200

3.)

Temperature	Dewpoint
(x)	(y)
68°	1.9°
76°	1.3°
91°	0.7°
104°	0.1°

4.)

Cell Phone Plan Minutes (x)	Cost (y)
625	\$59.99
723	\$59.99
829	\$59.99
899	\$59.99

5.)

Month (x)	Fee (\$) (y)
1	22
2	44
3	66
4	88

6.)

Oil changes per year (x)	Cost of Car Repairs \$ (y)
0	1000
1	700
2	400
3	100


Textbook Section: 10-3

Objective: Identify and describe angles formed by intersecting lines, rays, or line segments - A

An **angle** is formed by two rays with a common vertex. Angles are also formed by intersecting lines or line segments.

Angles are measured in degrees.


Angles are classified according to their measures.



 \angle 2 (also called \angle EFG) is formed by rays FE and FG

Right Angle	Acute Angle	Obtuse Angle	Straight Angle
exactly 90°	less than 90°	between 90° and 180°	exactly 180°


- 1.) Classify the angle as acute, obtuse, right, or straight.
- 2.) Classify the angle as acute, obtuse, right, or straight.






- 3.) Classify the angle as acute, obtuse, right, or straight.
- 4.) Name all of the acute angles.





- 5.) The time shown on the clock is 11:05. Starting at this time, approximately what time will it be when the hands form an obtuse angle?
- **6.)** The runways at a local airport are sketched in the figure. Classify $\angle 1$ and $\angle 2$ as acute, obtuse, right, or straight.






Textbook Section: 10-3


Objective: Identify and describe angles formed by intersecting lines, rays, or line segments - B

Examples:



When two lines intersect, they form two pairs of opposite angles called **vertical angles**, which are always congruent. **Congruent angles** have the same measure.

 $\angle 1 \cong \angle 2$ means that angle 1 is congruent to angle 2.




Two angle are **supplementary** if the sum of their measures is 180°.





Two angles are **complementary** if the sum of their measures is 90°.

$$32^{\circ} + 58^{\circ} = 90^{\circ}$$


1.) Classify the angles as **complementary**, **supplementary**, or **neither**.








3.) Classify the angles as complementary, supplementary, or neither.



4.) Classify the angles as **complementary**, **supplementary**, or **neither**.



- **5.)** A map shows a railroad crossing a highway, as shown below. Which of the numbered angles are vertical angles?
- **6.)** In a game of pick-up-sticks, the last 4 sticks are shown below. Which of the numbered angles are vertical angles?



1 2 5 6 7

Textbook Section: 10-3


Objective: Determine the measure of angles formed by intersecting lines, line segments, and rays.

Example 1: Find the value of **x** in the figure.

The two angles are supplementary, so the sum of their measures is 180°.

$$\begin{array}{r}
 x + 35 = 180 \\
 \hline
 -35 - 35 \\
 \hline
 x = 145
 \end{array}$$

Write the equation Subtract 35 from both sides Simplify The angle is 145°



Example 2: Find the value of **x** in the figure.

The two angles are complementary, so the sum of their measures is 90°.


$$x + 66 = 90$$

 $-66 - 66$
 $x = 24$


Write the equation Subtract 66 from both sides Simplify The angle is 24°




1.) Find the value of x.




2.) Find the value of x.



3.) Find the value of x.




4.) Find the value of x.




5.) A kite string makes an angle of 48° with respect to the ground as shown below. The dashed line is vertical and the ground is horizontal. How are the 48° angle and the unknown angle related? What is the value of x?

6.) A side view of the Great Pyramid at Giza is shown below. The sides of the pyramid make an angle of 52° with respect to the ground. What is the value of x?








Textbook Section: 10-5

Objective: Determine a missing angle using the sum of the interior angles in a quadrilateral


Examples of Quadrilaterals:




The sum of the measures of the angles of a quadrilateral is 360°.

$$m \angle 1 + m \angle 2 + m \angle 3 + m \angle 4 = 360^{\circ}$$

- 32<u>0 - 320</u>



Example: Find the missing measure in the quadrilateral.



$$135 + 110 + 75 + x = 360$$

The sum of the measures is 360°


$$320 + x = 360$$
 Simplify

Subtract 320 from each side


x = 40 The missing angle is 40°

Find the missing measure in each of the following quadrilaterals.


1.)




2.)




3.)




4.)



5.) The top of Mrs. Hartsock's coffee table is shown below. Find the measure of the missing angle.



6.) Maria needs to cut a piece of carpet to fit the space drawn below. What should the measure of the missing angle be?



Unit: Knowledge of Geometry	Textbook Section: NONE
Objective: Construct a circle using a given line segment as to	the radius.
You will need a compass for this activity!	
Directions for constructing a circle:	
Given: AB	A B
Construct: A circle with radius AB.	
1. Open your compass so the radius is the length of AB.	A • B
2. Using B as the center, draw an arc all the way around the control to the point where you began.	center
Use a compass to construct circles with the following radii:	
1.) Use C as the center.	2.) Use X as the center.
	/• Y
C ● 	x •
3.) Use M as the center.	4.) Use Q as the center.
	R •
	K./*
M -	0.4
M	Q ⁹
N .	

Textbook Section: NONE

Objective: Construct a line segment congruent to a given line segment.



You will need a compass for this activity!


Directions for constructing a congruent line segment:

Given:


WX

Construct:

 $\overline{\mathsf{YZ}}$ congruent to $\overline{\mathsf{WX}}$





2. Choose a point on the line and label it Y.





$$\overline{\mathsf{YZ}} \cong \overline{\mathsf{WX}}$$


Construct a congruent line segment for each of the line segments below.














4.) Construct \overline{JK} such that $\overline{JK} \cong \overline{LM}$



5.) Construct \overline{TS} such that $\overline{TS} \cong \overline{UV}$



6.) Construct \overline{WX} such that $\overline{WX} \cong \overline{YZ}$



Unit: Knowledge of Geometry Objective: Construct a perpendicular bisector to a given line segment or bisector of a given angle - A

Textbook Section: NONE




You will need a compass for this activity!

Directions for constructing a perpendicular bisector:

Given: \overline{AB}


Construct: The perpendicular bisector of \overline{AB}



2. Draw CD.


Label the intersection of CD and AB, M (for midpoint).


$$\overline{AM} \cong \overline{MB}$$
 and $\overrightarrow{CD} \perp \overline{AB}$



Follow the above directions to find the perpendicular bisectors (\overrightarrow{CD}) of the following line segments. Label the midpoint **M**.

3.)





Textbook Section: NONE

Objective: Construct a perpendicular bisector to a given line segment or bisector of a given angle – B




You will need a compass for this activity!

Directions for constructing an angle bisector:

Given: ∠ ABC


Construct: The bisector of \angle ABC

- 1. Using B as the center and any radius less than the length of BA, draw an arc that intersects BA at X and intersects BC at Y.
- 2. Using X as the center and a reasonable radius, draw an arc. Using Y as the center and the same radius, draw an arc that intersects the first arc. Label the intersection of the two arcs Z.





3. Draw a ray beginning at B and going through Z.

$$m \angle ZBC = m \angle ABZ = \frac{1}{2} m \angle ABC$$




Construct the bisector of the following angles.





3.) X




4.)


Objective: Determine the congruent parts of polygons.

Textbook Section: NONE

Congruent Polygons




Non Congruent Polygons



Congruent Polygons	Polygons that have exactly the same size and the same shape	
Congruent Segments	Segments that have the same length	
Congruent Angles	Angles that have the same measure	
Corresponding Sides of a Polygon	Sides of a polygon that are matched up with sides of another congruent or similar polygon	
Corresponding Angles of a Polygon	Angles of a polygon that match up with angles of another congruent or similar polygon	
ΔABC ≅ ΔDEF A 3cm D 3cm	Corresponding sides and angles of congruent polygons are congruent:	
B 7cm C E 7cm F	$ \frac{\overline{AB}}{BC} \cong \overline{DE} \qquad \qquad \angle A \cong \angle D \\ \underline{BC} \cong \overline{EF} \qquad \qquad \angle B \cong \angle E \\ \overline{AC} \cong \overline{DF} \qquad \qquad \angle C \cong \angle F $	

1.) G 5cm H 4cm




2.) Use the figures in problem #1 to complete the following congruence statements.


Polygon FGHJ ≅ polygon NMLK Complete the following congruence statements.


∠H≅

3.) Look at the figures in problem #1. Determine the measure of each segment or angle.

4.) Polygon HJKLMNPQ is congruent to polygon RSTUVXYZ. What is the length, in units, of RZ? (Note: Figures are not drawn to scale.)







Textbook Section: 10-8, 10-9, 10-9b

Objective: Identify the result of one translation, reflection, or rotation – A

A **translation** is the movement of a geometric figure in some direction without turning the figure. When translating a figure, every point of the original figure is moved the same distance and in the same direction. To graph a translation of a figure, move each vertex of the figure in the given direction. Then connect the new vertices.

Example: Triangle **ABC** has vertices **A**(-4, -2), **B**(-2, 0), and **C**(-1, -3).


Find the vertices of triangle A'B'C' after a translation of

5 units right and 2 units up.

Add 5 to each x-coordinate


Add 2 to each y-coordinate

And the sacrification of the s		au = to caon j cooramato
Vertices of $\triangle ABC$	(x+5,y+2)	Vertices of $\triangle A'B'C'$
A(-4, -2)	(-4 + 5, -2 + 2)	A'(1,0)
B(-2, 0)	(-2+5,0+2)	B'(3, 2)
C(-1, -3)	(-1+5, -3+2)	C'(4, -1)




The coordinates of the vertices of \triangle A'B'C' are A'(1, 0), B'(3, 2), and C'(4, -1).


1.) Translate △GHI 1 unit left and 5 units down.




2.) Translate rectangle **LMNO** 3 units up and 4 units right.



3.) Δ XYZ has vertices X(-4, 5), Y(-1, 3), and Z(-2, 0). Find the vertices of Δ X'Y'Z after a translation of 4 units right and 3 units down. Then graph the figure and its translated image.



4.) Parallelogram **RSTU** has vertices R(-1, -3), S(0, -1), T(4, -1), and U(3, -3). Find the vertices of R'S'T'U' after a translation of 3 units left and 3 units up. Then graph the figure and its translated image.



Unit: Knowledge of Geometry

Objective: Identify the result of one translation, reflection, or rotation – B


Textbook Section: 10-8, 10-9, 10-9b

A type of transformation where a figure is flipped over a line of symmetry is a **reflection**. To draw the reflection of a polygon, find the distance from each vertex of the polygon to the line of symmetry. Plot the new vertices the same distance from the line of symmetry but on the other side of the line. Then connect the new vertices to complete the reflected image.

- To reflect a point over the x-axis, use the same x-coordinate and multiply the y-coordinate by -1.
- To reflect a point over the y-axis, use the same y-coordinate and multiply the x-coordinate by -1.


Example: Triangle **DEF** has vertices **D**(2, 2), **E**(5, 4), and **F**(1, 5). Find the coordinates of the vertices of **DEF** after a reflection over the x-axis. Then graph the figure and its reflected image.

Vertices of $\triangle DEF$	Distance from x-axis	Vertices of $\triangle D'E'F'$
D(2, 2)	2	D'(2, -2)
E(5, 4)	4	E'(5, -4)
F(1, 5)	5	F'(1, -5)




Plot the vertices and connect them to form ΔDEF . The x-axis is the line of symmetry. The distance from a point on ΔDEF to the line of symmetry is the same as the distance from the line of symmetry to the reflected image.


1.) \triangle **ABC** has vertices **A**(0, 4), **B**(2, 1), and **C**(4, 3). Find the coordinates of the vertices of **ABC** after a reflection over the **x**-axis. Then graph the figure and its reflected image.




2.) Rectangle **MNOP** has vertices **M**(- 2, - 4), **N**(- 2, - 1), **O**(3, - 1), and **P**(3, - 4). Find the coordinates of the vertices of **MNOP** after a reflection over the **x**-axis. Then graph the figure and its reflected image.



3.) Trapezoid **WXYZ** has vertices **W**(-1, 3), **X**(-1, -4), **Y**(-5, -4), and **Z**(-3, 3).). Find the coordinates of the vertices of **WXYZ** after a reflection over the **y**-axis. Then graph the figure and its reflected image.



4.) A corporate plaza is to be built around a small lake. Building 1 has already been built. Suppose there are axes through the lake as shown. Show where Building 2 should be built if it will be a reflection of Building 1 across the **v**-axis followed by a reflection across the **x**-axis.



Unit: Knowledge of Geometry

Textbook Section: 10-8, 10-9, 10-9b


Objective: Identify the result of one translation, reflection, or rotation – C

A type of transformation where a figure is turned around a fixed point is called a **rotation**. The figure can be rotated 90° clockwise, 90° counterclockwise, or 180° about the origin.

- To rotate a figure 90° clockwise, switch the coordinates of each point and multiply the new second coordinate by -1.
- To rotate a figure 90° counterclockwise, switch the coordinates of each point and multiply the new first coordinate by -1.
- To rotate a figure 180°, multiply both coordinates of each point by -1.

Example: Graph the image of the figure after a rotation of 90° clockwise.

T(-4, -2) \longrightarrow T'(-2, 4) V'(-1, 2) \longrightarrow W(-2, -5) \longrightarrow W'(-5, 2) \longrightarrow Z'(-3, 4)




1.) Graph the image of the figure after a rotation of 90° counterclockwise.

T(- 4, - 2) T'(____, ____)

V(- 2, - 1) V'(___, ___)

W(- 2, - 5) W'(___, ___)

Z(- 4, - 3) Z'(___, ___)




2.) Graph the image of the figure after a rotation of 180°.

T(- 4, - 2) T'(___, ___)

V(- 2, - 1) V'(___, ___)

W(- 2, - 5) W'(___, ___]

Z(- 4, - 3) Z'(___, ___]




3.) Graph the image of the figure after a rotation of 90° clockwise.

B(___,__) B'(___, ___

J(___,___) J'(___, ____)

V(___,__) V'(___,__




4.) Graph the image of the figure after a rotation of 180°.

B(___,__) B'(___, ___

C(___,__) C'(___, ___

J(___,___) J'(___, ____

V(___,___) V'(___, ___




Textbook Sections: 11-4, 11-5

Objective: Estimate and determine the area of quadrilaterals using parallelograms or trapezoids – A.

The area **A** of a parallelogram equals the product of its base **b** and its height **h**. Because rectangles, rhombuses, and squares are all parallelograms, the formula for finding the area of a parallelogram is also used to find the areas of each of these figures.





The height is the length of the segment perpendicular to the base with endpoints on opposite sides.


Example: Find the area of a parallelogram if the base is 6 inches and the height is 3.7 inches.

Estimate: $A = 6 \cdot 4 \text{ or } 24 \text{ in}^2$

Calculate: A =bh Area of a parallelogram

> Replace **b** with 6 and **h** with 3.7 $A = 6 \cdot 3.7$


A = 22.2Multiply




The area of the parallelogram is 22.2 square inches. This is close to the estimate. Check:


Find the area of each parallelogram. Round to the nearest tenth if necessary.

1.)






3.)




4.)



5.) Joyce wants to construct a sail with the dimensions

shown. How much material will be used?



6.) Two parallel streets are cut across by two other parallel streets as shown in the figure. What is the area of the grassy


area in the middle?

Textbook Sections: 11-4, 11-5


Objective: Estimate and determine the area of quadrilaterals using parallelograms or trapezoids – B.

A trapezoid has two bases, **b**₁ and **b**₂. The height of a trapezoid is the distance between the two bases. The area **A** of a trapezoid equals half the product of the height h and the sum of the bases b₁ and b₂.

$$A = \frac{1}{2} h(b_1 + b_2)$$



Example: Find the area of the trapezoid.



$$A = 1/2 h (b_1 + b_2)$$

Area of a trapezoid


A = 1/2 (4) (3 + 6)Replace **h** with 4, **b**₁ with 3, and **b**₂ with 6.


$$A = 18$$

The area of the trapezoid is 18 square centimeters.


Find the area of each trapezoid. Round to the nearest tenth if necessary.

2.)






3.)




4.)



5.) Arkansas has a shape that is similar to a trapezoid with bases of about 182 miles and 267 miles and a height of about 254 miles. Estimate the area of the state.



6.) Greta is making a patio with the dimensions given in the figure. What is the area of the patio?




Objective: Determine the surface area of geometric solids using rectangular prisms.

The sum of the areas of all the surfaces, or faces, of a three-dimensional figure is the **surface area**. The surface area $\bf S$ of a rectangular prism with length $\bf I$, width $\bf w$, and height $\bf h$ is found using the following formula:

S = 2lw + 2lh + 2wh

Example: Find the surface area of the rectangular prism.




You can use the net of the rectangular prism to find its surface area. There are 3 pairs of congruent faces on a rectangular prism:

- top and bottom
- front and back
- two sides

Faces Area

top and bottom
$$(4 \cdot 3) + (4 \cdot 3) = 24$$

front and back $(4 \cdot 2) - (4 \cdot 2) = 16$
two sides $(2 \cdot 3) + (2 \cdot 3) = 12$
Sum of the areas $24 + 16 + 12 = 52$



Textbook Section: 12-4

Alternatively, replace *I* with 4, *w* with 3, and *h* with 2 in the formula for surface area.

S = 2lw + 2lh + 2wh

 $S = 2 \cdot 4 \cdot 3 + 2 \cdot 4 \cdot 2 + 2 \cdot 3 \cdot 2$ Follow order of operations.


S = 24 + 16 + 12

S = 52


So, the surface area of the rectangular prism is **52 square meters**.

Find the surface area of the rectangular prisms below. Round to the nearest tenth, if necessary.


1.)




2.)




3.)



4.)



- **5.)** A packaging company needs to know how much cardboard will be required to make boxes 18 inches long, 12 inches wide, and 10 inches high. How much cardboard will be needed for each box if there is no overlap in the construction?
- **6.)** Oscar is making a play block for his baby sister by gluing fabric over the entire surface of a foam block. How much fabric will Oscar need?




Objective: Determine the missing dimensions for a polygon.

Textbook Section: NONE

A scale drawing represents something that is too large or too small to be drawn at actual size. Similarly, a **scale model** can be used to represent something that is too large or too small for an actual-size model. The scale gives the relationship between the drawing/model measure and the actual measure.

Example: On this drawing of a swimming pool, each square has a side length of ½ inch. What is the actual width of the pool?




each side by 4


The width of the pool is 14 feet.


Use a ruler to complete the following.

1.) Measure AB and determine the actual length in feet using the scale.





3.) Sherry is designing a garden. She drew the following scale drawing for the garden with a scale of .25 cm = 3 m. Use a ruler to determine the actual width \overline{AB} of the garden.





4.) The Roberts made a drawing of their deck with a scale of $\frac{1}{4}$ inch = 2 feet. Use a ruler to determine the actual length of side MN of the deck.







Textbook Section: 7-4

Objective: Determine the distance between 2 points using a drawing and a scale.

A **scale drawing** represents something that is too large or too small to be drawn at actual size. Similarly, a **scale model** can be used to represent something that is too large or too small for an actual-size model. The **scale** gives the relationship between the drawing/model measure and the actual measure.

Example: On this map, each grid unit represents 50 yards. Find the distance from Patrick's Point to Agate Beach.





It is 400 yards from Patrick's Point to Agate Beach.

1.) On a map, the distance from Los Angeles to San Diego is 6.35 cm. The scale is 1 cm = 20 miles. What is the actual distance?




2.) Lexie is making a model of the Empire State Building. The scale of the model is 1 inch = 9 feet. The needle at the top is 31.5 feet tall.


How big should the needle be on the model?



3.) A scale drawing of an automobile has a scale of 1 inch = ½ foot. The actual width of the car is 8 feet. What is the width on the scale drawing?



4.) A model ship is built to a scale of 1 cm : 5 meters. The length of the model is 30 centimeters. What is the length of the actual ship?



5.) Jose wants to build a model of a 180-meter tall building. He will be using a scale of 1.5 centimeters = 3.5 meters. How tall will the model be? Round your answer to the nearest tenth.

6.) A pond is being dug according to plans that have a scale of 1 inch = 6.5 feet. The maximum distance across the pond is 9.75 inches on the plans. What will be the actual maximum distance across the pond?



Model

Objective: Organize & Display data use back-to-back stem & leaf plots

Examples:

- In a stem & leaf plot, the data are organized from least to greatest. The digits of the least place value (ones) usually form the leaves, and the next place value digits (tens) form the stems.
- A back-to-back stem & leaf is two stem & leaf plots using the same stem, and is used to compare to sets of data.

Steps for creating a back-to-back stem and leaf plot:

- Step 1:.Order each set of data from least to greatest. Decide which digits will be the stems and which will be the leaves.
- Step 2: List the stems in order from least to greatest, being sure to list stems that will include both sets of data.
- Step 3: Using one set of data, write the leaves for each stem from the center to the right, ordering it from least to greatest.
- <u>Step 4</u>: Using the other set of data, write the leaves for each stem from the center to the **left**, ordering it from least to greatest.
- Step 5: Write a key that explains how to read both sides of the plot.

Example:

Test Scores

1.) Listed below are the heights of 18 students in a 7th grade gym class, recorded in inches:

Boys: 60, 62, 57, 49, 53, 57, 61, 62, 63, 55 Girls: 63, 54, 57, 70, 54, 56, 64, 62 **2.)** Listed below are the number of points made during the last 10 basketball games:

Textbook Section: 2-5

Game	Jaguars	Lions
1	68	56
2	74	74
3	56	66
4	62	93
5	98	58
6	102	52
7	84	62
8	82	78
9	38	78
10	54	90




3.) Listed below are the test scores for Ms. Robert's period 2 and period 3 classes:

Pd 2: 54, 78, 85, 94, 70, 64, 100, 76, 38, 89

Pd 3: 67, 79, 83, 90, 91, 91, 74, 87, 100,

100




Week	1	2	3	4	5	6	7	8	9
Shawn	0	2	8	3	11	14	10	9	21
Taylor	8	16	9	17	15	20	22	18	15




Objective: Analyze data and recognize the misuses of data

Examples:

■ Graphs can be misleading for many reasons: No title; the scale does not include 0; there are no labels on either axis; the intervals on a scale are not equal; or the size of the graphics misrepresents the data.





Textbook Section: 2-8

The bar graphs above show the total US National Income (nonfarm). Which graph is misleading? Explain.


■ Graph B is misleading because the scale on the vertical axis does not have equal intervals. It makes the income appear to be slower.

1.) Students in Middle School 350 300 # of 250 **Students** 150 100 Kennedy Dwight Howser Rumsfield Middle Middle Middle School Name

The following bar graph represents the number of students in four different middle schools. Determine why this graph may be considered misleading.


2.) The graph represents points scored by the Baltimore Ravens during the 2003-2004 football season. What makes this graph misleading?

Explain.



- **3.)** List 4 different situations that make a graph misleading.
- **4.)** Look at #2, what would you change to make this graph not misleading?

The graph below represents cans collected for a food drive at Willowdale Middle.



Use the graph to the left to answer questions 5 & 6.

- 5.) Determine what makes this graph misleading.
- **6.)** Using the Canned Food Drive Graph, how would you change the graph to better show the data and not be misleading?

Textbook Section: 2-8

Objective: Determine the best choice of a data display for a given data set.

Examples:

■ Different types of graphs are better suited for certain types of data.

Bar Graph – Use when comparing data (Ex. Football teams and # of wins)

Line Graph – Use when data is over time (Ex. Rainfall each month for 1 year)

Circle Graph (Pie Graph) – Use when data is dealing with \$ or % (Ex. Allowance – how you spend it)

Stem & Leaf Plot – Use to show individual data (Ex. Class test scores)

Back-to-Back Stem & Leaf Plot – Use when comparing 2 large sets of data & showing individual data scores

Directions: Look at the following situations and tell what type of graph would be the best choice to display the data. Choose BAR, LINE, CIRCLE, or STEM & LEAF.

- **1.)** How the Federal Government spends each part of your tax dollar
- **2.)** You are keeping track of your little sister's/brother's height from age 3 months to 5 years old



3.) Lengths of the 5 largest rivers in the world


4.) Number of points scored in each game during the 99-00 Season

26

 Redskins:
 35
 50
 27
 38
 24
 20
 21

 21
 48
 17
 28
 23
 20
 17
 28

<u>Ravens:</u> 10 20 17 19 11 8 10 41 3 34 23 41 31 31 22 3





5.)

Students who ride a bus				
YEAR STUDENTS				
2000	333			
2001	297			
2002	360			
2003	365			

6.)

# of Species at the Zoo					
Z00	SPECIES				
Los Angeles	350				
Lincoln Park	290				
Cincinnati	700				
Bronx	530				
Oklahoma City	600				
	· ·				

Textbook Section: 2-4

Objective: Compare the measures of central tendency (mean, median, mode) to determine which is most appropriate.

Examples:

•	MEAN	MEDIAN	MODE
What is it?	Average	Middle #	# shown the MOST often
How to find it?		Order data from least to	Look at data & Find the # that
	Sum of Data (+)	greatest, then find the	Find the # that
	# of Data Points (÷)	middle #	appears the most.
		2 middle #s - Average	2 modes – Bimodal
Most Useful when:	Data has no outliers	Data has outliers	Data has many identical
	Outliers are REALLY low & high	There are no large gaps in	(same) #s
	#s	the middle of the data	

Use the table at the right.

Find the mean, median, & mode of the data.

Mean: 488.3 Median: 150 Mode: None

	Caribbean Islands					
Island	Area (Sq Mi)	Island	Area (Sq Mi)			
Antiqua	108	Martinique	425			
Aruba	75	Puerto Rico	3,339			
Barbados	166	Tobago	116			
Curacao	171	Virgin Islands, UL	59			
Dominica	290	Virgin Islands, US	134			

Which measure of central tendency would be misleading in describing the size of the islands? Explain.

The mean could be misleading since the areas of all but one of the islands are less than that value.

Which measure would most accurately describe the data? Median

Use the table that shows the miles of shoreline for five states to answer questions 1 - 3.

Miles of Shoreline				
State	Length of Shoreline (mi)			
Virginia	3,315			
Maryland	3,190			
Washington	3,026			
North Carolina	3,375			
Pennsylvania	89			

- 1.) Determine the mean, median, and mode of the data.
- **2.)** Which measure of central tendency is misleading in describing the miles of shoreline for the states? Explain.
- **3.)** Which measure of central tendency most accurately describes the data? Explain.

Book Sales: Use the table below that shows the number of books sold each day for 20 days to answer questions 3 – 5.



	Book Sales Per Day				
23	18	23	15		
24	16	0	11		
19	10	13	17		
12	23	11	16		
36	24	12	27		

- **4.)** Determine the mean, median, & mode of the data.
- **5.)** Which measure of central tendency would be misleading in describing the book sales & which measure most accurately describes the data? Explain.

6.) Michael & Melissa both claim to be earning a C average, 70% to 79%, in their Latin Class. Use the table below to explain their reasoning and determine which student is earning a C average.


GRADES (%)							
	Test 1	Test 2	Test 3	Test 4	Test 5	Test 6	Test 7
Michael	80	76	73	70	40	25	10
Melissa	88	83	75	70	60	65	62

Textbook Section: 9-1, 9-2

Objective: Identify a sample space and determine the number of outcomes using no more than 3 independent events. **Examples:**

■ Sample Space is a listing of all the possible outcomes in a probability experiment. One way to determine sample space is to draw a tree diagram.

A family has two children. Draw a tree diagram to show the sample space of the children's genders. Then determine the probability of the family having two girls.



■ FUNDAMENTAL COUNTING PRINCIPLE is used to quickly determine the total number of possible outcomes. Multiply the number of possibilities for each event together.

An ice cream sundae at the Ice Cream Shoppe is made from one flavor of ice cream and one topping. For ice cream flavors, you can choose from chocolate, vanilla, and strawberry. For toppings, you can have hot fudge, butterscotch, caramel, and marshmallow. Determine the number of different sundaes that are possible.

of ice cream flavors x # of toppings
(Chocolate, Vanilla, Strawberry) (Hot Fudge, Butterscotch, Caramel, Marshmallow)
3 x 4
12 total possible outcomes

- 1.) A certain type of kickboard scooter comes in silver, red, or purple with wheel sizes of 125 millimeters or 180 millimeters. Determine the total number of color-wheel size combinations.
- **2.)** Draw a tree diagram of the situation in #1 to show the sample space.
- **3.)** Charlene packed 4 shirts and 3 pairs of pants for her trip to the beach. Make a tree diagram to show all of Charlene's possible outfits.



Blue, Yellow, Green, Purple

Jeans, Khaki, White

4.) The table below shows the shirts, shorts, and shoes in George's wardrobe. How many possible outfits can he choose consisting of one shirt, one pair of shorts, and one pair of shoes?

SHIRTS	SHORTS	SHOES
Red	Beige	Black
Blue	Green	Brown
White	Blue	
Yellow		

- **5.)** Craig stops at a gas station to fill his tank. He must choose between full-service or self-service and between regular, midgrade, and premium gasoline. Draw a tree diagram showing the possible combinations of service and gasoline type. How many possible combinations are there?
- **6.)** Determine the total number of outcomes by choosing a vowel from the word COMPUTER and a consonant from the word BOOK.

Textbook Section: 9-7

Objective: Determine the probability of an event comprised of 2 independent events.

Examples:

■ INDEPENDENT EVENTS: the outcome of one event does NOT affect the outcome of the 2nd event.

■ The probability of two independent events can be found by multiplying the probability of the first event by the probability of the second event.


■ P(A and B) = P(A) • P(B)

A number cube is rolled, and the spinner at the right is spun. Determine the probability of rolling a 2 and spinning a vowel.

 $P(2 \text{ and vowel}) = P(2) \times P(vowel)$

$$\frac{1}{6}$$
 x $\frac{2}{5} = \frac{2}{30} = \frac{1}{15}$





A coin is tossed and a number cube is rolled. Find the probability of tossing tails and rolling a 5.

 $P \text{ (tails, 5)} = P \text{ (tails)} \quad x \quad P \text{ (5)}$

$$\frac{1}{2}$$
 x $\frac{1}{6} = \frac{1}{12}$

1.) A coin is tossed, and a number cube is rolled. What is the probability of tossing heads, and rolling a 3 or a 5?





- **2.)** A red and a blue number cube are rolled. Determine the probability that an odd number is rolled on the red cube and a number greater than 1 is rolled on the blue cube.
- **3.)** One letter is randomly selected from the word PRIME and one letter is randomly selected from the word MATH. What is the probability that both letters selected are vowels?
- **4.)** What is the probability of spinning a number greater than 5 on a spinner numbered 1 to 8 and tossing a tail on a coin?


5.)

Kid's Carnival Meals Choose 1 from each column

Chicken Nuggets French Fries
Hamburger Apple slices
Cheeseburger

What is the probability that Joey will choose a hamburger and apple slices?

6.)





For his probability experiment, Ryan is going to spin a spinner and roll a six-sided number cube. What is the probability of spinning "Red" and rolling a "2"?

Textbook Section: 9-6, 9-6a, 9-6b

Objective: Make predictions and express probability of the results of a survey or simulation as a fraction, decimal, or percent. - A

Examples: Experimental probability can also be based on past performances and can be used to make

predictions on future events.

In a survey, 100 people were asked to name their favorite Independence Day side dishes. What is the experimental probability of macaroni salad being someone's favorite dish?

There were 100 people surveyed and 12 chose macaroni salad, SO the experimental probability is $\frac{12}{100} = \frac{3}{25}$.

SIDE DISH	# of People
Potato Salad	55
Green Salad	25
Or vegetables	
Macaroni salad	12
Coleslaw	8

Suppose 250 people attend the city's Independence Day barbecue. How many can be expected to choose macaroni salad as their favorite side dish?

50

Write a proportion. $\frac{3}{25} = \frac{x}{250}$

Solve by using cross products. 25x = 3(250)

About 30 will choose macaroni salad.

x = 30


1.) Using the table in the example, what is the experimental probability of potato salad being someone's favorite dish?

2.) Using the information in the example and question 1, about how many people can be expected to choose potato salad as their favorite dish if 400 attend the barbecue?

(Use the experimental probability in the proportion.)

3.) In a survey, 50 people were asked to pick which movie they would see this weekend. Twenty chose *Horror Story*, 15 chose *The Ink Well*, 10 chose *The Monkey House*, and 5 chose *Little Rabbit*. What is the experimental probability of someone wanting to see *The Monkey House*?

4.) Using the information from question # 3, suppose 300 people are expected to attend a movie theater this weekend to see one of the four movies listed. How many can be expected to see *The Monkey House*?



For questions 5 & 6, use the graph shown at the left. The graph shows the results of a survey in which 50 students were asked to name their favorite X Game sport.

- **5.)** Suppose 500 people attend the X Games. How many can be expected to choose Inline as their favorite sport?
- **6.)** Suppose 500 people attend the X Games. How many can be expected to choose speed climbing as their favor sport?

Textbook Section: 9-6, 9-6a, 9-6b

Objective: Make predictions and express probability of the results of a survey or simulation as a fraction,

decimal, or percent. - B

Examples:

Probability is a way to measure the chance that an event will occur. You can use this formula to determine the probability, P, of an event.

 $P = \frac{number of favorable outcomes}{number of possible outcomes}$

Probability can be expressed as a FRACTION, DECIMAL, or PERCENT.

A jar contains 10 purple, 3 orange, and 12 blue marbles. A marble is drawn at random. Determine the probability that you will pick a purple marble. Express your answer in a fraction, decimal, and %.

Step 1 – Determine the total # of marbles. 10 + 3 + 12 = 25

Step 2 – Determine the probability of picking a purple marble. P(purple) = $\frac{\text{number of purple}}{\text{Total marbles}} = \frac{10}{25} \div 5 = \frac{2}{5}$


Step 3 – Simplify the fraction.

Step 4 – Convert Fraction to a Decimal – Divide. $2 \div 5 = 0.4$

Step 5 – Convert Decimal to a % - Move decimal 2 places to the right. 0.4 = 40%

1.) A six-sided number cube is rolled, and the spinner below is spun. Determine the probability of rolling a 3 and spinning blue. (B=blue, R=red) Express your answer as a fraction, a decimal, and a %.





2.) When Monica rolled her number cube 100 times, she had these results:

Number on cube	Frequency
1	12
2	18
3	21
4	16
5	17
6	16

What is the experimental probability of rolling a number less than 3? Express your answer as a fraction, a decimal, and a percent.

4.) A jar contains 15 orange, 14 white, 10 pink, 2 green,

3.) A jar contains 15 orange, 14 white, 10 pink, 2 green, and 9 blue marbles. A marble is drawn at random. Determine the probability for the following situation. Express your answer in Fraction, Decimal, and % forms.

P (not blue) =



and 9 blue marbles. A marble is drawn at random. Determine the probability for the following situation. Express your answer in Fraction, Decimal, and % forms.

P (pink or orange) =

5.) A six-sided die is rolled 20 times and the results are recorded as follows: 3 ones, 4 twos, 5 threes, 2 fours, 4 fives, 2 sixes. What is the experimental probability of rolling a number greater than four? Express your answer in Fraction, Decimal, and % forms.

6.) A six-sided die is rolled 25 times and the results are recorded as follows: 4 ones, 5 twos, 5 threes, 3 fours, 4 fives, 4 sixes. What is the experimental probability of rolling a number greater than four? Express your answer in fraction, decimal, and % forms.

Textbook Section: 1-2

Objective: Read, write, and represent whole numbers using exponential notation.

Examples:

Write 6^3 as a product of the same factor. Base = 6, so the exponent 3 means that 6 is used as a factor 3 times.

ANSWER: $6^3 = 6 \cdot 6 \cdot 6$

Evaluate 54. Evaluate means to solve. $5^4 = 5 \cdot 5 \cdot 5 \cdot 5 = 625$

Write 4 • 4 • 4 • 4 in exponential form. Base = 4. It is used as a factor 5 times so the exponent is 5.

ANSWER: 4 • 4 • 4 • 4 • 4 = 4⁵

1.) Write 15⁴ as a product of the same factor.

2.) Write 2^7 as a product of the same factor.

3.) Evaluate 7³.

4.) Evaluate 8⁴.



5.) Write $9 \cdot 9 \cdot 9 \cdot 9 \cdot 9$ in exponential form.

6.) Write 12 • 12 • 12 in exponential form.

Objective: Express decimals using expanded form.

Examples:

You can write decimals in EXPANDED NOTATION using place value and decimals or their fraction equivalents as shown.

Decimal	0.1	0.01	0.001	0.0001
Fraction	1	1	1	1
	$\overline{10}$	$\overline{10^2}$	$\overline{10^3}$	$\overline{10^4}$

Write 2.814 in expanded notation using decimals and using fractions.

Write the product of each digit and its place value.

$$2.814 = (2 \times 1) + (8 \times 0.1) + (1 \times 0.01) + (4 \times 0.001)$$

2.814 =
$$(2 \times 1) + (8 \times \frac{1}{10}) + (1 \times \frac{1}{10^2}) + (4 \times \frac{1}{10^3})$$

1.) Write 6.79 in expanded notation using decimals.	2.) Write 6.79 in expanded notation using fractions

- **3.)** Write 0.0072 in expanded notation using decimals.
- **4.)** Write 0.625 in expanded notation using fractions.

Textbook Section: Pg 555

- **5.)** Last week 3.9157 million people watched American Idol. Write the viewer number in expanded notation using decimals.
- **6.)** The northern blossom bat is one of the world's smallest bats. It weighs just 0.53 ounce. Write its weight in expanded notation using fractions.



Textbook Section: 5-3, 7-1, 7-5

Objective: Determine equivalent forms of rational numbers expressed as **fractions**, **decimals**, percents, and ratios. - **A Examples**:

To write a decimal as a fraction, divide the numerator of the fraction by the denominator. Use a power of ten in the denominator to change a decimal to a fraction.

Write $\frac{5}{9}$ as a decimal.

$$9)5.000 = 0.5 \text{ because 5 repeats forever.}$$

$$-45 \checkmark 50$$

<u>- 45</u>

Write 0.32 as a fraction in simplest form.

$$0.32 = \frac{32}{100} = \frac{\div 4}{\div 4} = \frac{8}{25}$$

1.) Write 0.735353535... using bar notation to represent the repeating decimal.

2.) Write $\frac{3}{5}$ as a decimal.

3.) Write $4\frac{5}{8}$ as a decimal.

4.) Write 0.94 as a fraction in simplest form.

5.) Write 0.48 as a fraction in simplest form.

6.) There were 6 girls and 18 boys in Mrs. Johnson's math class. Write a ratio of the # of girls to the # of boys in fraction form. Then write the fraction as a repeating decimal.

Textbook Section: 5-3, 7-1, 7-5

Objective: Determine equivalent forms of rational numbers expressed as fractions, decimals, percents, and ratios.- B Examples:

A RATIO is a comparison of two numbers by division. When a ratio compares a number to 100, it can be written as a PERCENT. To write a ratio or fraction as a percent, find an equivalent fraction with a denominator of 100. You can also use the meaning of percent to change percents to fractions.

Write $\frac{19}{20}$ as a percent.

$$\frac{19}{20} \stackrel{\bullet}{\bullet} \stackrel{5}{\bullet} = \frac{95}{100} = 95\%$$
 Since 100 ÷ 20 = 5, multiply the numerator and denominator by 5.

Write 92% as a fraction in simplest form.

$$\frac{92}{100} = \frac{\div 4}{\div 4} = \frac{23}{25}$$

Write 92% as a decimal. Move decimal two places to the left. Add zeros if needed. 92.0% = 0.92

Write 0.4 as a percent. Move decimal two places to the right. Add zeros if needed. 0.4 = 40%

1.) Write $\frac{7}{25}$ as a percent and decimal.	2.) Write 19% as a decimal and fraction in simplest form.

3.) Write
$$\frac{9}{50}$$
 as a percent and decimal.

- **5.)** Ms. Crest surveyed her class and found that 15 out of 30 students brushed their teeth more than twice a day. Write this ratio as a fraction in simplest form, then write it as a % and a decimal.
- **6.)** A local retail store was having a sale and offered all their merchandise as a 25% discount. Write this percent as a fraction in simplest form, then write it as a decimal.

Objective: Compare, order, and describe rational numbers.

Examples:

RATIONAL numbers include fractions, decimal, and percents. To COMPARE or ORDER rational numbers, they must be in the same form (all fraction or all decimals, or all %s)

Example: Order 0.6, 48%, and $\frac{1}{2}$ from least to greatest.

Step 1 – Change all to decimals.

0.6 48% = 0.48 $\frac{1}{2}$ = 0.5

$$\frac{1}{2}$$
 = 0.5

Textbook Section: 5-8

Step 2 – Compare decimals & Order. 0.48, 0.5, 0.6

Step 3 – Write using original form. 48%, $\frac{1}{2}$, 0.6

1.) Order from least to greatest.

22%, 0.3, $\frac{1}{5}$

2.) Order from least to greatest.

0.74,
$$\frac{3}{4}$$
, 70%

3.) Replace () with <, > , or =.

4.) Which is the largest?

$$1\frac{3}{8}$$
 $1\frac{3}{10}$ $1\frac{4}{9}$

5.) According to the Pet Food Manufacturer's Association, 11 out of 25 people own large dogs and 13 out of 50 medium dogs. Do more people own large or medium dogs?



6.) Your PE teacher asked you to run for specific time period. You ran 0.6 of the time. Two of your friends ran

 $\frac{7}{10}$ and 72% of the time. Order the amount of time you and your friends ran from least to greatest.

Unit: Knowledge of Number Relationships & Computation Textbook Section: 3-4, 3-5, 3-6, 3-7

Objective: Add, subtract, multiply and divide integers. - A

Examples:

ADDITION INTEGER RULES:

For integers with the same sign:

- The sum of two positive integers is POSITIVE.
- The sum of two negative integers is NEGATIVE.

For integers with different signs, subtract their absolute value. The sum is:

- Positive IF the positive integer has the greater absolute value.
- Negative IF the negative integers has the greater absolute value.

Examples:

$$-6 + (-3) = add keep the sign = -9$$

$$-6 + (-3) = add \text{ keep the sign} = -9$$
 $-34 + (-21) = add \text{ keep the sign} = -55$

SUBTRACTION INTEGER RULES:

- Keep the first number the same
- Switch the subtraction sign to ADDITION
- Change the second number to it's opposite. Opposite: 6 to 6
- Follow Addition rules above.

Examples:

$$6-9=6+(-9)=-3$$

$$-10 - (-12) = -10 + 12 = 2$$

$$-3-7=-3+(-7)=-10$$

$$1 - (-2) = 1 + 2 = 3$$

3.) Evaluate
$$a - b$$
 if $a = -2$ and $b = -7$

4.) Evaluate
$$x + y + z$$
 if $x = 3$, $y = -5$, and $z = -2$

- **5.)** In Mongolia the temperature can dip down to -45° C in January. The temperature in July may reach 40° C. What is the temperature range in Mongolia?
- **6.)** Write an addition expression to describe skateboarding situation. Then determine the sum.

Hank starts at the bottom of a half pipe 6 feet below street level. He rises 14 feet at the top of his kickturn.

Objective: Add, subtract, multiply and divide integers. - B

Examples:

MULTIPLYING & DIVIDING INTEGER RULES:

• Two integers with DIFFERENT signs the answer is NEGATIVE.

• Two integers with SAME signs the answer is POSITIVE.

Examples:

5(-2) = 5 times -2, the signs are different so the answer will be negative = -10

(-6) • (-9) = the signs are the same so the answer will be positive = 54

 $30 \div (-5)$ = the signs are different so the answer will be negative = -6

- 100 \div (- 5) = the signs are the same so the answer will be positive = 20

1.) Mulitply:	- 14 (- 7)
----	-------------	--------	-----	---

2.) Divide: 350 ÷ (- 25)

3.) Evaluate if
$$a = -3$$
 and $c = 5$

- 3ac

4.) Evaluate if d = -24, e = -4, and f = 8

 $\frac{de}{f}$

Textbook Section: 3-4, 3-5, 3-6, 3-7

5.) A computer stock decreased 2 points each hour for 6 hours. Determine the total change in the stock value over the 6 hours.



6.) A submarine descends at a rate of 60 feet each minute. How long will it take it to descend to a depth of 660 feet below the surface?



Objective: Add, subtract, and multiply positive fractions and mixed numbers. - A

Examples:

To add unlike fractions (fractions with different denominators), rename the fractions so there is a common denominator.

Add:
$$\frac{1}{6} + \frac{2}{5} =$$

$$\frac{1}{6} = \frac{1x5}{6x5} = \frac{5}{30}$$

$$\frac{2}{5} = \frac{2x6}{5x6} = \frac{12}{30}$$

$$\frac{5}{30} + \frac{12}{30} = \frac{17}{30}$$

Add:
$$12\frac{1}{2} + 8\frac{2}{3} =$$

Add:
$$12\frac{1}{2} + 8\frac{2}{3} = 12\frac{1}{2} = 12\frac{1x3}{2x3} = 12\frac{3}{6}$$

$$8\frac{2}{3} = 8\frac{2x^2}{3x^2} = 8\frac{4}{6}$$

$$12\frac{3}{6} + 8\frac{4}{6} = 20\frac{7}{6}$$

 $12\frac{3}{6} + 8\frac{4}{6} = 20\frac{7}{6}$ $\frac{7}{6}$ is improper so we must change it to proper. 7 divided by 6 = $1\frac{1}{6}$

$$20 + 1\frac{1}{6} = 21\frac{1}{6}$$

1.) Add:
$$\frac{1}{3} + \frac{1}{9}$$

2.) Add:
$$7\frac{4}{9} + 10\frac{2}{9}$$

3.) Add:
$$1\frac{5}{9} + 4\frac{1}{6}$$

4.) Add:
$$2\frac{1}{2} + 2\frac{2}{3}$$

5.) A quiche recipe calls for $2\frac{3}{4}$ cups of grated cheese.

A recipe for quesadillas requires $1\frac{1}{3}$ cups of grated cheese. What is the total amount of grated cheese needed for both recipes?

6.) You want to make a scarf and matching hat. The pattern calls for $1\frac{7}{8}$ yards of fabric for the scarf and $2\frac{1}{2}$ yards of fabric for the hat. How much fabric do you need in all?



Textbook Section: 6-2, 6-3, 6-4

Objective: Add, subtract, and multiply positive fractions and mixed numbers. - B

Examples:

To subtract unlike fractions (fractions with different denominators), rename the fractions so there is a common denominator.

Subtract:
$$\frac{7}{8} - \frac{1}{2} = \frac{7}{8} = \frac{7x1}{8x1} = \frac{7}{8} = \frac{1}{2} = \frac{1x4}{2x4} = \frac{4}{8} = \frac{7}{8} = \frac{3}{8} = \frac{3}{8}$$

$$\frac{7}{8} = \frac{7x1}{8x1} = \frac{7}{8}$$

$$\frac{1}{2} = \frac{1x4}{2x4} = \frac{4}{8}$$

$$\frac{7}{8} - \frac{4}{8} = \frac{3}{8}$$

Subtract:
$$5\frac{3}{4} - 2\frac{1}{3} = 5\frac{3}{4} = 5\frac{3}{4} = 5\frac{9}{12}$$

$$5\frac{3}{4} = 5\frac{3x3}{4x3} = 5\frac{9}{12}$$

$$2\frac{1}{3} = 2\frac{1x4}{3x4} = 2\frac{4}{12}$$

$$5\frac{9}{12} - 2\frac{4}{12} = 3\frac{5}{12}$$

**Note: If you have to borrow from the whole number change to improper fractions, find a common denominator, subtract, and then change back to proper fractions.

1.) Subtract: $\frac{9}{10} - \frac{1}{10}$

2.) Subtract: $\frac{2}{3} - \frac{1}{6}$

3.) Subtract: $9\frac{7}{10} - 4\frac{3}{5}$

4.) Subtract: $5\frac{3}{8} - 4\frac{11}{12}$

5.) Melanie had $4\frac{2}{3}$ pounds of chopped walnuts. She used $1\frac{1}{4}$ pounds in a recipe. How many pounds of chopped walnuts did she have left?

*Hint: Change to improper fractions first! **6.)** Lois has $3\frac{1}{3}$ pounds of butter. She uses $\frac{3}{4}$ pound in a recipe. How much does she have left? *Hint: Change to improper fractions first.

Textbook Section: 6-2, 6-3, 6-4

Objective: Add, subtract, and multiply positive fractions and mixed numbers. - C

- **Examples:**
 - To multiply fractions Multiply the numerators & denominators.
 - Be sure to change mixed numbers to improper fractions before multiplying.

$$\frac{1}{3}x\frac{5}{8} = \frac{5}{24}$$

$$1\frac{1}{3}x3\frac{2}{5} = \frac{4}{3}x\frac{17}{5} = \frac{68}{15} = 4\frac{8}{15}$$

**Remember: Changing mixed numbers to improper fractions. $2\frac{3}{4} = 4x^2 + 3 = \frac{11}{4}$

$$1\frac{1}{3}x21 = \frac{4}{3}x\frac{21}{1} = \frac{4x21}{3x1} = \frac{84}{3} = 28$$

1.)
$$\frac{2}{3}x\frac{4}{5} =$$

2.)
$$\frac{7}{3} \times 4\frac{1}{2} =$$

3.)
$$2\frac{1}{2} \times 2\frac{1}{3} =$$

4.)
$$3 \times 5 \frac{2}{9} =$$

- 5.) Anna wants to make 4 sets of curtains. Each set requires $5\frac{1}{9}$ yards of fabric. How much fabric does she need?
- **6.)** One sixth of the students at a local college are seniors. The number of freshmen students is $2\frac{1}{2}$ times that amount. What fraction of the students are freshmen?



Unit: Knowledge of Number Relationships & Computation Textbook Section: 1-2, 11-1 **Objective:** Calculate powers of integers and square roots of perfect square whole numbers. **Examples: Powers of Integers** Evaluate 5⁴. Evaluate means to solve. $5^4 = 5 \cdot 5 \cdot 5 \cdot 5 = 625$ Evaluate 23. $2^3 = 2 \cdot 2 \cdot 2 = 8$ Evaluate $(-5)^2$. $(-5)^2 = -5 \cdot -5 = 25$ Remember to follow integer rules! **Square Roots** • A Perfect Square is the square of a whole number. • A square root of a number is one of two equal factors of the number. • Every positive number has a positive square root and a negative square root. • The square root of a negative number such as -25, is not real because the square of a number is never negative. **A.**) $\sqrt{144}$ Since $12^2 = 144$, then $\sqrt{144} = 12$ B.) $-\sqrt{49}$ Since $7^2 = 49$, then $\sqrt{49} = -7$ Since $2^2 = 4$, then $\pm \sqrt{4} = \pm 2$ **C.**) $\pm \sqrt{4}$ **1.)** Evaluate: 13² = **2.)** Evaluate: $\sqrt{81} =$ **3.)** Evaluate: (-4)³ = **4.)** Evaluate: $\sqrt{100} =$ **5.)** Evaluate: $(-2)^2$ = **6.)** Evaluate: $\sqrt{36}$

Textbook Section: NONE

Objective: Use the laws of exponents to simplify expressions by using the rules of exponents.

Examples:

Sometimes an algebraic expression or number sentence contains terms with the same base but different exponents. We can simplify these expressions by using the Laws of Exponents.

Multiplying with the same base: To multiply two terms with the same base, ADD the exponents **Symbols** Example

Therefore $2^2 \bullet 2^4 = 2^6$

Dividing with the same base: To divide two terms with the same base, SUBTRACT the exponents **Symbols** Example

$$\frac{x^a}{x^b} = x^{a-b}$$

$$\frac{3^4}{3^2} = 3^{4-2}$$

$$\frac{3^4}{3^2} = 3^{4-2}$$
 Therefore $\frac{3^4}{3^2} = 3^2$

$$\frac{3^4}{3^2} = \frac{3 \cdot 3 \cdot 3 \cdot 3 \cdot 3}{\cancel{3} \cdot \cancel{3}} =$$

Why does this work?
$$\frac{3^4}{3^2} = \frac{3 \cdot 3 \cdot 3 \cdot 3}{\cancel{3} \cdot \cancel{3}} = 3 \cdot 3 = 3^2 \text{ OR } \frac{3^4}{3^2} = \frac{3 \cdot 3 \cdot 3 \cdot 3}{3 \cdot 3} = \frac{81}{9} = 9 = 3^2$$

Simplify each expression using the laws of exponents

1.)
$$5^6 \cdot 5^3$$

2.)
$$\frac{7^{10}}{7^3}$$

3.)
$$9^4 \bullet 9^4 \bullet 9^4$$

4.)
$$\frac{2^3 \bullet 2^4 \bullet 2^2}{2^6}$$

5.)
$$a^5 \cdot a^6 \cdot a^2$$

Textbook Section: 1-6

Objective: Identify and use the properties of addition and multiplication to simplify expressions using the commutative property.

Examples:

PROPERTY ARITHMETIC ALGEBRA

Distributive Property 5(3+4) = 5(3) + 5(4) a (b + c) = a (b) + a (c)

Commutative Property of Addition 5 + 3 = 3 + 5 a + b = b + a

Commutative Property of Multiplication $5 \times 3 = 3 \times 5$ $a \times b = b \times a$

Associative Property of Addition (2+3)+4=2+(3+4) (a+b)+c=a+(b+c)

Associative Property of Multiplication $(4 \times 5) \times 6 = 4 \times (5 \times 6)$ $(a \times b) \times c = a \times (b \times c)$

Identity Property of Addition 5 + 0 = 5 a + 0 = a

Identity Property of Multiplication $5 \times 1 = 5$ a $\times 1 = a$

1.) Use the distributive property to write the expression s an equivalent expression. Then evaluate the expression.

$$3(5 + 1) =$$

2.) Name the property shown:

$$6 + (1 + 4) = (6 + 1) + 4$$

3.) Name the property shown:

$$y \times 3 = 3 \times y$$

4.) Name the property shown:

$$b + 0 = b$$

- **5.)** Mr. Brooks was working on addition using dominoes with a group of 1st graders. When picking the domino with 3 dots on one end and 5 dots on the other, some students read. "3 plus 5 equals 8" while other read it as "5 plus 3 equals 8." What property were these students using? Explain.
- **6.)** Students in Mr. River's class were practicing their multiplication skills by rolling three 6-sided number cubes. Bailey rolled a 2, a 3, and a 5 on her roll. He multiplied the three numbers as follows using the order of operations: $(2 \times 3) \times 5 = 30$. Write another way Bailey could have performed the multiplication without changing the order of the numbers. State the property you used.

Textbook Section: 6-1

Objective: Estimate to determine approximate sums, differences, products, and quotients.

Examples:

Estimate by rounding to the nearest whole numbers.

GOAL: to make the problem simpler – estimate before computing.

Decimals: 23.485 – 9.757 = 23 – 10 = 13

6.43 + 2.17 + 9.1 + 4.87 = 6 + 2 + 9 + 5 = 22

 $43.9 \times 37.5 = 40 \times 40 = 1600$

 $432.87 \div 8.9 = 450 \div 9 = 50$

Fractions: $3\frac{2}{3} + 5\frac{1}{6} = 4 + 5 = 9$

 $6\frac{2}{5} \times 1\frac{7}{8} = 6 \times 2 = 12$

$$8\frac{7}{9} \div 2\frac{3}{4} = 9 \div 3 = 3$$

Estimate by rounding:

1.) 34.84 – 17.69 + 8.4

2.) $2\frac{1}{5} + 3\frac{1}{2} =$

3.) 26.3 x 9.7

4.) $4\frac{3}{8} \times 5\frac{1}{4} =$



5.) 41.79 ÷ 6.8

6.) $15\frac{8}{9} \div 3\frac{3}{5} =$

Objective: Determine equivalent ratios.

Examples:

- Any ratio can be written as a fraction. To write a ratio comparing measurements, such as units of length or units of time, both quantities must have the SAME unit of measure.
- Two ratios that have the same value are EQUIVALENT RATIOS.

Write the ratio 15 to 9 as a fraction in simplest form.

15 to 9 =
$$\frac{15}{9}$$
 = $\frac{\div 3}{\div 3}$ = $\frac{5}{3}$

Textbook Section: 7-1, 7-3

Write 40 centimeters to 2 meters as a fraction in simplest form.

$$\frac{40 \text{ centimeters}}{2 \text{ meters}} = \frac{40 \text{ centimeters}}{200 \text{ centimeters}} = \frac{\div 40}{\div 40} = \frac{1 \text{ centimeter}}{5 \text{ centimeters}} = \frac{1}{5}$$

• A PROPORTION is an equation stating that 2 ratios are equivalent. Since rates are types of ratios, they can also form proportions. In a proportion, a CROSS PRODUCT is the product of the numerator of one ratio and the denominator of the other ratio.

Determine whether $\frac{2}{3}$ and $\frac{10}{15}$ form a proportion (are equivalent ratios).

$$\frac{2}{3} = \frac{10}{15}$$

$$2 \times 15 = 3 \times 10$$

The cross products are equal, so the ratios are equivalent and form a proportion. 30 = 30

1.) Write the ratio as a fraction in simplest form.

*Remember: ratios must have the SAME measurement.

12 feet: 10 yards

2.) Determine whether the pair of ratios is equivalent and forms a proportion.

$$\frac{6}{14} = \frac{9}{21}$$

3.) Determine whether the ratios are equivalent. Explain.

12:17 and 10:15

4.) Determine whether the pair of ratios is equivalent and forms a proportion.

$$\frac{$2.48}{4 \text{ oz}} = \frac{$3.72}{6 \text{ oz}}$$

5.) In baseball, David has 10 hits out of 14 at bats. Adam has 15 hits out of 21 at bats. For each player, write a ratio that represents his total number of hits out of times at bat. Are these ratios equivalent?

6.) Sarah can drive 198 miles on 11 gallons of gasoline. On 6 gallons of gasoline, Rachel can travel 138 miles. Write a ratio that compares miles traveled per gallon of gasoline for each car. Do the cars get the same mileage?





Textbook Section: 7-1, 7-2

Objective: Determine or use **ratios**, **unit rates**, and percents in the context of the problem. - **A Examples:**

• A RATE is a fixed ratio between two quantities of different units, such as miles and hours, dollars and hours, points and games. If the second number of a rate is 1 then the rate is called a UNIT RATE.

• UNIT RATE examples: 60 miles per hour and \$15 per hour

Last week Mike worked 30 hours and earned \$240. What was his rate of pay?

STRATEGY: Divide the total earned by the number of hours.

Step 1: How much money did Mike earn? \$240 Step 2: How many hours did he work? \$30 hours

Step 3: Determine the rate of pay. Divide the amount of money earned by the number of hours.

$$\frac{\text{amountof \$}}{\text{# of hours worked}} = \frac{240}{30} = \$8 \text{ per hour}$$

The unit price of a can of tuna fish at the GHK Supermarket is \$2.43. How much will 7 cans cost?

STRATEGY: Use the definition of unit price.

Step 1: Unit price means the price of one unit or the price of one can of tuna fish. \$2.43

Step 2: Multiply. $2.43 \times 7 = 17.01

SOLUTION: Seven cans of tuna fish cost \$17.01

- **1.)** You earned 20 points on a test out of 50. What was your percent on the test?
- **2.)** Chad purchased 6 Fierce Grape Gatorades for \$12.00. If Chad wanted to go back and buy one Tropical Punch Gatorade at the same price, how much would it cost?
- **3.)** Your family was headed to the beach for summer vacation. You drove 560 miles in 8 hours. Determine how many miles you drove per hour.
- **4.)** Pam typed 325 words in 25 minutes. How many words did she type per minute?



- **5.)** There are 1000 students in a middle school for 4 lunch shifts. Determine how many students will eat on each lunch shift.
- **6.)** Giant Eagle was having a big 4th of July sale on sodas. Giant Eagle was selling Coke Fridge Packs at \$3.00 for 12 sodas. Determine the cost of one soda.



Textbook Section: 7-1, 7-2

Objective: Determine or use ratios, unit rates, and percents in the context of the problem. - B

Examples:

Solving Proportions: Solve $\frac{8}{a} = \frac{10}{15}$

PERCENT PROPORTION / EQUATION

$$\frac{\%}{100} = \frac{\text{part (is)}}{\text{total (of)}}$$

Sometimes Proportions involve Percents. In this case, we use the PERCENT PROPORTION.

600 is what percent of 750?

Chad's football team played 25 games. They won 68% of them. How many games did the team win?

$$\frac{n}{100} = \frac{600}{750}$$

Use the percent proportion: $\frac{68\%}{100} = \frac{x}{25}$

 $n \times 750 = 600 \times 100$

Cross multiply: 68 x 25 = 100 x Solve 1700 = 100 x

 $\frac{750 \text{ n}}{750} = \frac{60000}{750}$


100 100 x = 17

Answer: Chad's football team won 17 out of 25 games.

n = 80%

1.) It is recommended that for every 8 square feet of surface, a pond should have 2 fish. A pond that has a surface of 72 square feet should contain how many fish?

2.) An 8-ounce glass of Orange juice contains 72 milligrams of vitamin C. How much juice contains 36 milligrams of vitamin C?



4.) What percent of 56 is 14?



5.) Kristen and Melissa spent 35% of their \$32.00 on movie tickets. How much money did they spend?

6.) Jake's club has 35 members. Its rules require that 60% of them must be present for any vote. At least how many members must be present to have a vote?



Unit: Knowledge of Number Relationships & Computation Textbook Section: 7-2, 8-2, 8-5, 8-6
Objective: Determine rate of increase and decrease, discounts, simple interest, commission, sales tax. - A
Examples:

A percent of change is a ratio that compares the change in quantity to the original amount. If the
original quantity is increased, it is a PERCENT OF INCREASE. If the original quantity is decreased, it is
a PERCENT OF DECREASE.

Last year 2,376 people attended the rodeo. This year, attendance was 2,950. What was the percent of change in attendance to the nearest whole percent?

- Since this year's attendance is greater than last year's attendance, this is a percent of INCREASE.
- The amount of increase is 2,950 2,376 = 574. (Percent of DECREASE: original new.)
- Use the proportion: $\frac{\%}{100} = \frac{\text{amount of change}}{\text{original amount}}$ $\frac{n}{100} = \frac{574}{2,376}$ n = 0.24 or 24%
- The rodeo attendance increased by about 24%.

DISCOUNT

Determine the price of a \$69.50 tennis racket that is on sale for 20% off.

Use the percent proportion to determine the amount of discount. $\frac{20}{100} = \frac{n}{69.50}$ 20 x 69.50 = 100n $\frac{1390}{100} = \frac{100n}{100}$

The amount of discount is \$13.90

- Subtract the amount of discount from the price. 69.50 13.90 = \$55.60 The sale price of the tennis racket is \$55.60.
- **1.)** Determine the percent of change. Round to the nearest whole percent if necessary. State whether the percent of change is an INCREASE or DECREASE.

Original: 250 New: 100 2.) Determine the sale price to the nearest cent.

\$39.00 jeans 40% off

3.) Determine the percent of change. Round to the nearest whole percent if necessary. State whether the percent of change is an INCREASE or DECREASE.

Original: \$84 New: \$100 **4.)** Justin is buying a cell phone that has a regular price of \$149. The cell phone is on sale for 15% off the regular price. What will be the sale price?

13.90 = n

- **5.)** Alicia planted 45 tulip bulbs last year. This year she plans to plant 65 bulbs. Determine the percent of increase in the number of tulip bulbs to the nearest tenth.
- **6.) You want to buy a new sweater. The regular price was \$48 dollars. The sale price was \$34. What was the percent of discount to the nearest percent.

Textbook Section: 7-2, 8-2, 8-5, 8-6

Objective: Determine rate of increase and decrease, discounts, simple interest, commission, sales tax. - B Examples:

■ SALES TAX is a percent of the purchase price and is an amount paid in addition to the purchase price.

Determine the total price of a \$17.55 soccer ball if the sales tax is 6%.

Determine the sales tax by changing % to a decimal and multiply. Add price and tax to determine the total price.

17.55 x 0.06 = 1.07 (TAX) 17.55 + 1.07 = 18.82

■ COMMISSION is the amount a salesman/woman makes for selling items. To determine the amount of commission, change the % to a decimal and multiply by the total amount sold.

Determine the commission for a RV salesman, whose sales for the month of March totaled \$149,000. The salesman earns a 4% commission.

Change 4% to a decimal.

4% = 0.04

Multiply decimal and total sold.

 $0.04 \times 149,000 = 5960$

The RV salesman/woman will make a total commission of \$5,960 for the month of March.

■ SIMPLE INTEREST the amount of money paid or earned for the use of money. To determine simple interest I, use the formula I = prt. Principal p is the amount of money deposited or invested. Rate r is the annual interest rate written as a decimal. Time t is the amount of time the money is invested in years.

Determine the simple interest earned in a savings account where \$136 is deposited for 2 years if the interest rate is 7.5% per year.

I = prt

 $I = 136 \cdot 0.075 \cdot 2$

I = 20.40

The simple interest earned is \$20.40

- **1.)** Jeremy wants to buy a skateboard but does not know if he has enough money. The price of the skateboard is \$85 and the sales tax is 6%. What will be the total cost of the skateboard?
- **2.)** Blake bought two magazines for \$4.95 each. If the sales tax was 6.75%, what was the total amount that he paid for the magazines?



- **3.)** How much interest will Hannah earn in 4 years if she deposits \$630 in a savings account at 6.5% simple interest?
- **4.)** You are a real estate agent. For every house you sell you earn 3.8% commission. This month you sold 2 houses that had a combined total of \$560,950. How much commission will you earn?
- **5.)** When Melissa was born, her parents put \$8,000 into a college fund account that earned 9% simple interest. Determine the total amount in the account after 18 years.
- **6.)** A car salesman earns 7% commission on his total sales this month. If he sells 2 cars at \$15,670 each, and a truck at \$25,995, how much commission will he earn? (hint: You need to find the total amount of sales first)



Sunsational Websites



Here are some fun and exciting websites to visit over the summer for practice.

At the time this was created, the websites listed were checked by teachers and deemed child appropriate. However, parents should always monitor their child's use of any Internet site.

http://www.mathisfun.com/

http://www.weeklyreader.com/kids/games/sudoku.asp

http://www.funbrain.com/

http://www.aplusmath.com/Games/index.html

http://www.kidsnumbers.com/games.pp

www.mathforum.org

www.aaamath.com

Fun Summer Math Books for 7th Graders!

Math Made Fun by Lisa Palmer

Sideways Arithmetic from Wayside School by Louis Sachar

A Grain of Rice by Helena Clare Pittman

Counting on Frank by Rod Clement